

DIE SPOTTING PRESS / TRY OUT PRESS

GREAT CHALLENGER TONGMYUNG
DESIGNING A MORE VALUABLE WORLD TONGMYUNG



DIE SPOTTING PRESS

GREAT CHALLENGER TONGMYUNG
DESIGNING A MORE VALUABLE WORLD TONGMYUNG



TRY OUT PRESS

GREAT CHALLENGER TONGMYUNG
DESIGNING A MORE VALUABLE WORLD TONGMYUNG

APPLICATIONS

Die Try-Out
Mold Manufacturer
Vehicle Manufacturer



APPLICATIONS

Die Spotting



SPECIFICATION

Model No.	TDSP-100	TDSP-200	TDSP-250	TDSP-500
Capacity (ton)	100	200	250	500
Stroke (mm)	1,900	1,900	1,900	1,900
Open Height (mm)	2,500	2,500	2,500	2,500
Table Size (mm)	4,000 × 2,400	5,000 × 2,500	5,000 × 2,700	5,000 × 2,700

SPECIFICATION

Model No.	TTS-500	TTS-1000	TTS-1500	TTS-2000
Capacity (ton)	500	1,000	1,500	2,000
Work Pressure (kg/cm ²)	212	210	227	240
Lifting Capacity (ton)	100	100	150	150
Main Stroke (mm)	1,900	1,900	1,900	1,900
Open Height (mm)	2,500	2,500	2,500	2,500
Bolster Size (mm)	4,500 × 2,400	4,500 × 2,400	4,500 × 2,400	4,800 × 2,600
Table Loading Capacity (ton)	40	40	40	50



TM 동명산업기계주식회사

TongMyung Industrial Machinery Engineering Co., Ltd.

본사 및 공장

경남 창원시 의창구 북면 단내로 415-6

TEL : 055-256-3671 / FAX : 055-256-3631

Head office and plant

415-6, Dannae-ro, Buk-myeon, Uichang-gu, Changwon-si,
Gyeongsangnam-do, Korea

TEL : +82-55-256-3671 / FAX : +82-55-256-3631



www.tm.co.kr

Scan QR code with smart phone

스마트폰으로 QR코드를 스캔해보세요.