




www.tm.co.kr

OPEN DIE FORGING PRESS

GREAT CHALLENGER TONGMYUNG
DESIGNING A MORE VALUABLE WORLD TONGMYUNG



TM 동명산업기계주식회사
TongMyung Industrial Machinery Engineering Co., Ltd.


Great Challenger TONGMYUNG

OPEN DIE FORGING PRESS

“ Item Description

The design of the two-column frame provides maximized working space and views for the operators and allows for efficient production. The press consists of wide and multi-guides this provides a low surface pressure of the guides and minimizes abrasions. Also, the column guides reliably absorb eccentric load.

2-Column Frame으로 제작되어 작업시야 및 작업공간을 최대한 확보하는 것이 가능하며 작업효율을 극대화 할 수 있습니다. 광폭의 단면 Guide로 구성되어 Guide 면압이 낮고 마모량도 최소화 하였으며, 특히 편심 하중에 높은 신뢰성을 가집니다.



SPECIFICATION

Model No.	THF-1000	THF-1500	THF-2000	THF-3000	THF-5000
Capacity (ton)	1,000	1,500	2,000	3,000	5,000
Upset Capacity (ton)	1,000	1,500	2,000	3,400	6,000
Ram Head Stroke	1,100	1,400	1,500	1,800	2,400
Open Height	2,400	2,700	3,000	3,700	5,000
Lower Mold Height	650	650	750	950	1,300
Column Inner Width	750	1,000	1,200	1,300	1,400
Bolster Width	1,100	1,500	1,600	2,000	2,600
Bolster Length	2,400	2,700	3,200	4,200	6,000
Press Height (FL+)	6,350	7,100	7,500	8,600	11,000
Press Depth (FL-)	2,100	2,500	2,800	3,200	4,000

APPLICATIONS



Roller



Shaft



Flange



TM 동명산업기계주식회사

TongMyung Industrial Machinery Engineering Co., Ltd.

본사 및 공장

경남 창원시 의창구 북면 단내로 415-6
TEL : 055-256-3671 / FAX : 055-256-3631

Head office and plant

415-6, Dannae-ro, Buk-myeon, Uichang-gu, Changwon-si,
Gyeongsangnam-do, Korea
TEL : +82-55-256-3671 / FAX : +82-55-256-3631



www.tm.co.kr
Scan QR code with smart phone
스마트폰으로 QR코드를 스캔해보세요.